Brain Research, 533 (1990) 358–359
Elsevier

Author Index

Advani, A., see Schneiderman, J.H., 275
Agnati, L.F., see Orzi, F., 223
Akiyama, H., see Kimura, H., 165
Angelucci, L., see Maccari, S., 60
Anisman, H., see Zacharko, R.M., 353
Arnold, D., see Schneiderman, J.H., 275
Atwood, H.L., see Nguyen, P.V., 107
Azizi, S.A. and Woodward, D.J., Interactions of visual and auditory mossy fiber inputs in the paraflocculus of the rat: a gating action of multimodal inputs, 255

Belcheva, I., Bryer, J.B., Starkstein, S.E., Honig, M., Moran, T.H. and Robinson, R.G., Hemispheric asymmetry in behavioral response to D_1 and D_2 receptor agonists in the nucleus accumbens, 286
Belczynski, C.R., see Riddle, D.R., 113
Bellingham, M.C. and Lipski, J., Respiratory interneurons in the C_5 segment of the spinal cord of the cat, 141
Bickford-Wimer, P., Kim, M., Boyajian, C., Cooper, D.M.F. and Freedman, R., Effects of pertussis toxin on caudate neuron electrophysiology: studies with dopamine D_1 and D_2 agonists, 263
Biggio, G., see Giorgi, O., 53
Bohnett, M., see Hoss, W., 232
Boyajian, C., see Bickford-Wimer, P., 263
Braun, D.E. and Freed, W.J., Effect of nifedipine and anticonvulsants on kainic acid-induced seizures in mice, 157
Bryer, J.B., see Belcheva, I., 286
Burstein, R., see Dado, R.J., 329
Buño, W., see Núñez, A., 176
Byrne, J.H., see Ichinose, M., 137

Carr, K.D., see Stein, E.A., 213
Cazin, L., see Louiset, E., 300
Chechetto, D.F., see Oppenheimer, S.M., 66
Cheng, T.P.O., see Sucher, N.J., 248
Clarke, R.W., see Hope, P.J., 292
Cliffer, K.D., see Dado, R.J., 329
Cooper, D.M.F., see Bickford-Wimer, P., 263
Corbett, D., see Wang, D., 78
Cotman, C.W., see Koh, J.-y., 315
Critz, S.D., see Ichinose, M., 137

Dado, R.J., Burstein, R., Cliffer, K.D. and Giesler, G.J. Jr., Evidence that Fluoro-Gold can be transported avidly through fibers of passage, 329
DeSibour, C.L., see Riddle, D.R., 113
Devon, R.M., see Juurlink, B.H.J., 73
Dietrich, W.D., see Riachi, N.J., 6
Dragunow, M., Presence and induction of Fos B-like immunoreactivity in neural, but not non-neural, cells in adult rat brain, 324
Du, J.-H. and Qiao, J.-T., Habenulopetal catecholaminergic projections in the rat brain: a combined Fluoro-Gold/catecholamine fluorescence study, 334
Duggan, A.W., see Hope, P.J., 292
Duval, O., see Louiset, E., 300

Ehmann, W.D., see Wenstrup, D., 125
Ellerbrock, B.R., see Hoss, W., 232
Emson, P.C., see Morton, A.J., 161
Endo, S., see Ichinose, M., 137

Fanselow, M.S., see Lichtman, A.H., 91
Ferraguti, F., see Orzi, F., 223
Fields, H.L., see Haws, C.M., 192
Fieschi, C., see Orzi, F., 223
Finch, D.M., see White, T.D., 95
Fischer, I., see Safaei, R., 83
Freed, W.J., see Braun, D.E., 157
Freedman, R., see Bickford-Wimer, P., 263

García-Austt, E., see Núñez, A., 176
Garey, L.J., see Ong, W.Y., 24
Garrick, T., see Heynman-Mönnikes, I., 309
Ghodsi-Hovsepian, S., see Hoss, W., 232
Giesler, G.J. Jr., see Dado, R.J., 329
Gilmore, W., see Zacharko, R.M., 353
Giorgi, O. and Biggio, G., Selective unilateral inactivation of striatal D_1 and D_2 dopamine receptor subtypes by EEDQ: turning behavior elicited by D_2 dopamine receptor agonists, 53
Grace, A.A., see Hollerman, J.R., 203

Haber, S.N., see Hazrati, L.-N., 171
Hadjiconstantinou, M., Krajnc, D., Rossetti, Z. and Neff, N.H., Modulation of dopamine metabolism in the retina via dopamine D_2 receptors, 20
Harik, S.I., see Riachi, N.J., 6
Hashimoto, K., see Hirasawa, R., 1
Hatase, O., see Yamaguchi, F., 344
Haws, C.M., Heinricher, M.M. and Fields, H.L., α-Adrenergic receptor agonists, but not antagonists, alter the tail-flick latency when microinjected into the rostral ventromedial medulla of the lightly anesthetized rat, 192
Hayaishi, O., see Matsumura, K., 147
Hazrati, L.-N., Parent, A., Mitchell, S. and Haber, S.N., Evidence for interconnections between the two segments of the globus pallidus in primates: a PHA-L anterograde tracing study, 171
Heinricher, M.M., see Haws, C.M., 192
Hersh, L.B., see Kimura, H., 165
Heynman-Mönnikes, I., Livingston, E.H., Taché, Y., Sierra, A., Weiner, H. and Garrick, T., Bonbesin microinjected into the dorsal vagal complex inhibits TRH-stimulated gastric contractility in rats, 309
Hirasawa, R., Hashimoto, K. and Ota, Z., Role of central angiotensinergic mechanism in shaking stress-induced ACTH and catecholamine secretion, 1
Hollerman, J.R. and Grace, A.A., The effects of dopamine-depleting brain lesions on the electrophysiological activity of rat substantia nigra dopamine neurons, 203
Honig, M., see Belcheva, I., 286
Hope, P.J., Jarrott, B., Schaible, H.-G., Clarke, R.W. and Duggan, A.W., Release and spread of immunoreactive neurokinin A in the cat spinal cord in a model of acute arthritis, 292
Hosokawa, K., see Yamaguchi, F., 344
Hoss, W., Woodruff, J.M., Ellerbrock, B.R., Periuasamy, S., Ghodsi-Hovsepian, S., Stibbe, J., Bohnett, M. and Messer, W.S., Biochemical and behavioral responses of pilocarpine at muscarinic receptor subtypes in the CNS. Comparison with receptor binding and low-energy conformations, 232
Hue, B., see Lapied, B., 132
Hughes, S.E., Riddle, D.R., 113

Ichinose, M., Endo, S., Critz, S.D., Shenolikar, S. and Byrne, J.H., Microcystin-LR, a potent protein phosphatase inhibitor, prolongs the serotonin- and cAMP-induced currents in sensory neurons of *Aplysia californica*, 137
Itano, T., see Yamaguchi, F., 344

Jackson, M.B., see Yakel, J.L., 46
Janjua, N.A., see Yamaguchi, F., 344
Jarrott, B., see Hope, P.J., 292
Jean, A., see Tell, F., 152
Juurlink, B.H.J. and Devon, R.M., Macromolecular translocation – a possible function of astrocytes, 73

Kasian, M., see Zacharko, R.M., 353
Kim, M., see Bickford-Wimer, P., 263
Kimura, H., Tago, H., Akiyama, H., Hersh, L.B., Tooyama, I. and McGeer, P.L., Choline acetyltransferase immunopositive neurons in the lateral septum, 165
Klassen, H. and Lund, R.D., Parameters of retinal graft-mediated responses are related to underlying target innervation, 181
Kleinberger-Doron, N. and Schramm, M., Culture of mature hippocampus slices for 4 days in a newly developed medium: preservation of transmitter release and leucine incorporation into protein, 239
Koh, J.-y., Yang, L.L. and Cotman, C.W., β-Amyloid protein increases the vulnerability of cultured cortical neurons to excitotoxic damage, 315
Koistinaho, D., see Yang, G., 338
Krajnc, D., see Hadjiconstantinou, M., 20
Krieger, N.R., see Mok, W.M., 42

Lamacz, M., see Louiset, E., 300
Langley, S.C. and York, D.A., Increased type II glucocorticoid-receptor numbers and glucocorticoid-sensitive enzyme ac-

Brain Research, 533 (1990) 358–359
Elsevier

Author Index

Advani, A., see Schneiderman, J.H., 275
Agnati, L.F., see Orzi, F., 223
Akiyama, H., see Kimura, H., 165
Angelucci, L., see Maccari, S., 60
Anisman, H., see Zacharko, R.M., 353
Arnold, D., see Schneiderman, J.H., 275
Atwood, H.L., see Nguyen, P.V., 107
Azizi, S.A. and Woodward, D.J., Interactions of visual and auditory mossy fiber inputs in the paraflocculus of the rat: a gating action of multimodal inputs, 255

Belcheva, I., Bryer, J.B., Starkstein, S.E., Honig, M., Moran, T.H. and Robinson, R.G., Hemispheric asymmetry in behavioral response to D_1 and D_2 receptor agonists in the nucleus accumbens, 286
Belczynski, C.R., see Riddle, D.R., 113
Bellingham, M.C. and Lipski, J., Respiratory interneurons in the C_5 segment of the spinal cord of the cat, 141
Bickford-Wimer, P., Kim, M., Boyajian, C., Cooper, D.M.F. and Freedman, R., Effects of pertussis toxin on caudate neuron electrophysiology: studies with dopamine D_1 and D_2 agonists, 263
Biggio, G., see Giorgi, O., 53
Bohnett, M., see Hoss, W., 232
Boyajian, C., see Bickford-Wimer, P., 263
Braun, D.E. and Freed, W.J., Effect of nifedipine and anticonvulsants on kainic acid-induced seizures in mice, 157
Bryer, J.B., see Belcheva, I., 286
Burstein, R., see Dado, R.J., 329
Buño, W., see Núñez, A., 176
Byrne, J.H., see Ichinose, M., 137

Carr, K.D., see Stein, E.A., 213
Cazin, L., see Louiset, E., 300
Chechetto, D.F., see Oppenheimer, S.M., 66
Cheng, T.P.O., see Sucher, N.J., 248
Clarke, R.W., see Hope, P.J., 292
Cliffer, K.D., see Dado, R.J., 329
Cooper, D.M.F., see Bickford-Wimer, P., 263
Corbett, D., see Wang, D., 78
Cotman, C.W., see Koh, J.-y., 315
Critz, S.D., see Ichinose, M., 137

Dado, R.J., Burstein, R., Cliffer, K.D. and Giesler, G.J. Jr., Evidence that Fluoro-Gold can be transported avidly through fibers of passage, 329
DeSibour, C.L., see Riddle, D.R., 113
Devon, R.M., see Juurlink, B.H.J., 73
Dietrich, W.D., see Riachi, N.J., 6
Dragunow, M., Presence and induction of Fos B-like immunoreactivity in neural, but not non-neural, cells in adult rat brain, 324
Du, J.-H. and Qiao, J.-T., Habenulopetal catecholaminergic projections in the rat brain: a combined Fluoro-Gold/catecholamine fluorescence study, 334
Duggan, A.W., see Hope, P.J., 292
Duval, O., see Louiset, E., 300

Ehmann, W.D., see Wenstrup, D., 125
Ellerbrock, B.R., see Hoss, W., 232
Emson, P.C., see Morton, A.J., 161
Endo, S., see Ichinose, M., 137

Fanselow, M.S., see Lichtman, A.H., 91
Ferraguti, F., see Orzi, F., 223
Fields, H.L., see Haws, C.M., 192
Fieschi, C., see Orzi, F., 223
Finch, D.M., see White, T.D., 95
Fischer, I., see Safaei, R., 83
Freed, W.J., see Braun, D.E., 157
Freedman, R., see Bickford-Wimer, P., 263

García-Austt, E., see Núñez, A., 176
Garey, L.J., see Ong, W.Y., 24
Garrick, T., see Heynman-Mönnikes, I., 309
Ghodsi-Hovsepian, S., see Hoss, W., 232
Giesler, G.J. Jr., see Dado, R.J., 329
Gilmore, W., see Zacharko, R.M., 353
Giorgi, O. and Biggio, G., Selective unilateral inactivation of striatal D_1 and D_2 dopamine receptor subtypes by EEDQ: turning behavior elicited by D_2 dopamine receptor agonists, 53
Grace, A.A., see Hollerman, J.R., 203

Haber, S.N., see Hazrati, L.-N., 171
Hadjiconstantinou, M., Krajnc, D., Rossetti, Z. and Neff, N.H., Modulation of dopamine metabolism in the retina via dopamine D_2 receptors, 20
Harik, S.I., see Riachi, N.J., 6
Hashimoto, K., see Hirasawa, R., 1
Hatase, O., see Yamaguchi, F., 344
Haws, C.M., Heinricher, M.M. and Fields, H.L., α-Adrenergic receptor agonists, but not antagonists, alter the tail-flick latency when microinjected into the rostral ventromedial medulla of the lightly anesthetized rat, 192
Hayaishi, O., see Matsumura, K., 147
Hazrati, L.-N., Parent, A., Mitchell, S. and Haber, S.N., Evidence for interconnections between the two segments of the globus pallidus in primates: a PHA-L anterograde tracing study, 171
Heinricher, M.M., see Haws, C.M., 192
Hersh, L.B., see Kimura, H., 165
Heynman-Mönnikes, I., Livingston, E.H., Taché, Y., Sierra, A., Weiner, H. and Garrick, T., Bonbesin microinjected into the dorsal vagal complex inhibits TRH-stimulated gastric contractility in rats, 309
Hirasawa, R., Hashimoto, K. and Ota, Z., Role of central angiotensinergic mechanism in shaking stress-induced ACTH and catecholamine secretion, 1
Hollerman, J.R. and Grace, A.A., The effects of dopamine-depleting brain lesions on the electrophysiological activity of rat substantia nigra dopamine neurons, 203
Honig, M., see Belcheva, I., 286
Hope, P.J., Jarrott, B., Schaible, H.-G., Clarke, R.W. and Duggan, A.W., Release and spread of immunoreactive neurokinin A in the cat spinal cord in a model of acute arthritis, 292
Hosokawa, K., see Yamaguchi, F., 344
Hoss, W., Woodruff, J.M., Ellerbrock, B.R., Periuasamy, S., Ghodsi-Hovsepian, S., Stibbe, J., Bohnett, M. and Messer, W.S., Biochemical and behavioral responses of pilocarpine at muscarinic receptor subtypes in the CNS. Comparison with receptor binding and low-energy conformations, 232
Hue, B., see Lapied, B., 132
Hughes, S.E., Riddle, D.R., 113

Ichinose, M., Endo, S., Critz, S.D., Shenolikar, S. and Byrne, J.H., Microcystin-LR, a potent protein phosphatase inhibitor, prolongs the serotonin- and cAMP-induced currents in sensory neurons of *Aplysia californica*, 137
Itano, T., see Yamaguchi, F., 344

Jackson, M.B., see Yakel, J.L., 46
Janjua, N.A., see Yamaguchi, F., 344
Jarrott, B., see Hope, P.J., 292
Jean, A., see Tell, F., 152
Juurlink, B.H.J. and Devon, R.M., Macromolecular translocation – a possible function of astrocytes, 73

Kasian, M., see Zacharko, R.M., 353
Kim, M., see Bickford-Wimer, P., 263
Kimura, H., Tago, H., Akiyama, H., Hersh, L.B., Tooyama, I. and McGeer, P.L., Choline acetyltransferase immunopositive neurons in the lateral septum, 165
Klassen, H. and Lund, R.D., Parameters of retinal graft-mediated responses are related to underlying target innervation, 181
Kleinberger-Doron, N. and Schramm, M., Culture of mature hippocampus slices for 4 days in a newly developed medium: preservation of transmitter release and leucine incorporation into protein, 239
Koh, J.-y., Yang, L.L. and Cotman, C.W., β-Amyloid protein increases the vulnerability of cultured cortical neurons to excitotoxic damage, 315
Koistinaho, D., see Yang, G., 338
Krajnc, D., see Hadjiconstantinou, M., 20
Krieger, N.R., see Mok, W.M., 42

Lamacz, M., see Louiset, E., 300
Langley, S.C. and York, D.A., Increased type II glucocorticoid-receptor numbers and glucocorticoid-sensitive enzyme ac-

tivities in the brain of the obese Zucker rat, 268
Lapied, B., Le Corronc, H. and Hue, B., Sensitive nicotinic and mixed nicotinic-muscarinic receptors in insect neurosecretory cells, 132
Lazdunski, M., see Mourre, C., 196
Le Corronc, H., see Lapied, B., 132
Le Moal, M., see Maccari, S., 60
Lichtman, A.H. and Fanselow, M.S., Cats produce analgesia in rats on the tail-flick test: naltrexone sensitivity is determined by the nociceptive test stimulus, 91
Lipski, J., see Bellingham, M.C., 141
Lipton, S.A., see Sucher, N.J., 248
Livingston, E.H., see Heynman-Mönnikes, I., 309
Louiset, E., Cazin, L., Duval, O., Lamacz, M., Tonon, M.C. and Vaudry, H., Effect of acetylcholine on the electrical and secretory activities of frog pituitary melanotrophs, 300
Lowy, M.T., MK-801 antagonizes methamphetamine-induced decreases in hippocampal and striatal corticosteroid receptors, 348
Lund, R.D., see Klassen, H., 181

MacNeil, G., see Zacharko, R.M., 353
Maccari, S., Le Moal, M., Angelucci, L. and Mormède, P., Influence of 6-OHDA lesion of central noradrenergic systems on corticosteroid receptors and neuroendocrine responses to stress, 60
Markesbery, W.R., see Wenstrup, D., 125
Mason, R. and Rusak, B., Neurophysiological responses to melatonin in the SCN of short-day sensitive and refractory hamsters, 15
Matsui, H., see Yamaguchi, F., 344
Matsumura, K., Watanabe, Yu., Onoe, H., Watanabe, Ya. and Hayaishi, O., High density of prostaglandin E_2 binding sites in the anterior wall of the 3rd ventricle: a possible site of its hyperthermic action, 147
McGeer, P.L., see Kimura, H., 165
Messer, W.S., see Hoss, W., 232
Mitchell, S., see Hazrati, L.-N., 171
Miyamoto, O., see Yamaguchi, F., 344
Mizobuchi, M., see Yamaguchi, F., 344
Mok, W.M. and Krieger, N.R., Evidence that 5α-pregnan-3α-ol-20-one is the metabolite responsible for progesterone anesthesia, 42
Moran, T.H., see Belcheva, I., 286
Mormède, P., see Maccari, S., 60
Morton, A.J. and Emson, P.C., Expression of calbindin D-28K-like immunoreactivity in human SK-N-SH and SH-SY-5Y neuroblastoma cells, 161
Mourre, C., Widman, C. and Lazdunski, M., Saxitoxin-sensitive Na^+ channels: presynaptic localization in cerebellum and hippocampus of neurological mutant mice, 196

Nakashima, T., Toyoshima, K., Shimamura, A. and Yamada, N., Morphological changes of taste buds and fungiform papillae following long-term neurectomy, 321
Neff, N.H., see Hadjiconstantinou, M., 20
Nguyen, P.V. and Atwood, H.L., Axotomy-induced temporal dissociation of long-term adaptive changes at neuromuscular synapses of a crayfish phasic motoneuron, 107
Núñez, A., García-Austt, E. and Buño, W., Synaptic contributions to rhythm genesis in rat CA1-CA3 hippocampal pyramidal neurons in vivo, 176

Oakley, B., see Riddle, D.R., 113
Ohmoto, T., see Yamaguchi, F., 344
Ong, W.Y. and Garey, L.J., Pyramidal neurons are immunopositive for peptides, but not GABA, in the temporal cortex of the macaque monkey (*Macaca fascicularis*), 24
Onoe, H., see Matsumura, K., 147
Oppenheimer, S.M. and Cechetto, D.F., Cardiac chronotropic organization of the rat insular cortex, 66
Orzi, F., Zoli, M., Passarelli, F., Ferraguti, F., Fieschi, C. and Agnati, L.F., Repeated electroconvulsive shock increases glial fibrillary acidic protein, ornithine decarboxylase, somatostatin and cholecystokinin immunoreactivities in the hippocampal formation of the rat, 223
Ota, Z., see Hirasawa, R., 1

Parent, A., see Hazrati, L.-N., 171
Passarelli, F., see Orzi, F., 223
Periuasamy, S., see Hoss, W., 232

Qiao, J.-T., see Du, J.-H., 334

Riachi, N.J., Dietrich, W.F. and Harik, S.I., Effects of internal carotid administration of MPTP on rat brain and blood–brain barrier, 6
Riddle, D.R., Hughes, S.E., Belczynski, C.R., DeSibour, C.L. and Oakley, B., Inhibitory interactions among rodent taste axons, 113
Robinson, R.G., see Belcheva, I., 286
Rossetti, Z., see Hadjiconstantinou, M., 20
Rusak, B., see Mason, R., 15

Safaei, R. and Fischer, I., Turnover of cytoskeletal proteins in vivo, 83
Schaible, H.-G., see Hope, P.J., 292
Schneiderman, J.H., Arnold, D. and Advani, A., Different changes in spontaneous field potential oscillations precede epileptiform bursting in hippocampal slices perfused wish penicillin or reduced magnesium, 275
Stein, E.A., Carr, K.D. and Simon, E.J., Brain stimulation-induced feeding alters regional opioid receptor binding in the rat: an in vivo autoradiographic study, 213
Stibbe, J., see Hoss, W., 232
Sucher, N.J., Cheng, T.P.O. and Lipton, S.A., Neural nicotinic acetylcholine responses in sensory neurons from postnatal rat, 248

Taché, Y., see Heynman-Mönnikes, I., 309
Tago, H., see Kimura, H., 165
Tan, A.M., see White, T.D., 95
Tell, F. and Jean, A., Rhythmic bursting patterns induced in neurons of the rat nucleus tractus solitarii, in vitro, in response to *N*-methyl-D-aspartate, 152
Tokuda, M., see Yamaguchi, F., 344
Tonon, M.C., see Louiset, E., 300
Tooyama, I., see Kimura, H., 165
Toyoshima, K., see Nakashima, T., 321

Vaudry, H., see Louiset, E., 300

Wang, D. and Corbett, D., Cerebral ischemia, locomotor activity and spatial mapping, 78
Watanabe, Ya., see Matsumura, K., 147
Watanabe, Yu., see Matsumura, K., 147
Weiner, H., see Heynman-Mönnikes, I., 309
Wenstrup, D., Ehmann, W.D. and Markesbery, W.R., Trace element imbalances in isolated subcellular fractions of Alzheimer's disease brains, 125
White, T.D., Tan, A.M. and Finch, D.M., Functional reciprocal connections of the rat entorhinal cortex and subicular complex with the medial frontal cortex: an in vivo intracellular study, 95
Widman, C., see Mourre, C., 196
Woodruff, J.M., see Hoss, W., 232
Woodward, D.J., see Azizi, S.A., 255

Yakel, J.L., Shao, X.M. and Jackson, M.B., The selectivity of the channel coupled to the 5-HT_3 receptor, 46
Yamada, N., see Nakashima, T., 321
Yamaguchi, F., Itano, T., Mizobuchi, M., Miyamoto, O., Janjua, N.A., Matsui, H., Tokuda, M., Ohmoto, T., Hosokawa, K. and Hatase, O., Insulin-like growth factor I (IGF-1) distribution in the tissue and extracellular compartment in different regions of rat brain, 344
Yang, G. and Koistinaho, J., Age-related increase in c-*fos* expression in the sympathetic neurons of the rat superior cervical ganglion, 338
Yang, L.L., see Koh, J.-y., 315
York, D.A., see Langley, S.C., 268

Zacharko, R.M., Gilmore, W., MacNeil, G., Kasian, M. and Anisman, H., Stressor induced variations of intracranial self-stimulation from the mesocortex in several strains of mice, 353
Zoli, M., see Orzi, F., 223